

Author Index

- Aller, A.J.
—, Lumbreras, J.M., Robles, L.C. and Fernández, G.M.
Stability of bacterium–mercury complexes and speciation of soluble inorganic mercury species 89
- Andres, R., see Taib, M.N. 31
- Barceló, D., see Gascón, J. 41
- Beltrán, J.L., see Ferrer, R. 199
- Bernat, M., see Monna, F. 107
- Bilitewski, U., see Papaefstathiou, I. 265
- Boguslavsky, L., see Laurinavicius, V. 159
- Bosch Reig, F., see Doménech Carbó, M.T. 207
- Bouhsain, Z.
—, Garrigues, S., Morales-Rubio, A. and de la Guardia, M.
Flow injection spectrophotometric determination of paracetamol in pharmaceuticals by means of on-line microwave-assisted hydrolysis and reaction with 8-hydroxyquinoline (8-quinolinol) 59
- Brainina, Kh.
—, Schafer, H., Ivanova, A. and Khanina, R.
Determination of copper, lead and cadmium in whole blood by stripping voltammetry with the use of graphite electrodes 175
- Centner, V.
—, Massart, D.L. and de Noord, O.E.
Detection of inhomogeneities in sets of NIR spectra 1
- Cepria, G., see Wang, J. 151
- Chee, K.K.
—, Wong, M.K. and Lee, H.K.
Microwave-assisted solvent elution technique for the extraction of organic pollutants in water 217
- Chow, C.W.K.
—, Kolev, S.D., Davey, D.E. and Mulcahy, D.E.
Determination of copper in natural waters by batch and oscillating flow injection stripping potentiometry 79
- Cruz, F.G., see Šikovec, M. 245
- Csőregi, E., see Ruzgas, T. 123
- Davey, D.E., see Chow, C.W.K. 79
- de Beer, T.
—, Hoornweg, G.Ph., Grootendorst, G.J., Velthorst, N.H. and Gooijer, C.
Forward-scattering degenerate four-wave mixing as a potential laser-based absorption detection method in liquid separation systems: Coupling to conventional-size liquid chromatography 189
- de la Guardia, M., see Bouhsain, Z. 59
- de Noord, O.E., see Centner, V. 1
- Doménech Carbó, M.T.
—, Bosch Reig, F., Gimeno Adelantado, J.V. and Periz Martínez, V.
Fourier transform infrared spectroscopy and the analytical study of works of art for purposes of diagnosis and conservation 207
- Domínguez, E., see Parellada, J. 71
- Dong, S., see Yu, P. 167
- Drzewińska, A., see Wieteska, E. 251
- Emnéus, J., see Ruzgas, T. 123
- Fernández, G.M., see Aller, A.J. 89
- Fernández, V.M., see Parellada, J. 71
- Ferrer, I., see Gascón, J. 41
- Ferrer, R.
—, Beltrán, J.L. and Guiteras, J.
Use of cloud point extraction methodology for the determination of PAHs priority pollutants in water samples by high-performance liquid chromatography with fluorescence detection and wavelength programming 199
- Fielden, P.R., see Przybylko, A.R.M. 229
- Franko, M., see Šikovec, M. 245
- Garrigues, S., see Bouhsain, Z. 59
- Gascón, J.
—, Oubiña, A., Ferrer, I., Önnérfjord, P., Marko-Varga, G., Hammock, B.D., Marco, M.-P. and Barceló, D.
Performance of two immunoassays for the determination of atrazine in sea water samples as compared with on-line solid phase extraction–liquid chromatography–diode array detection 41
- Geng, L., see Laurinavicius, V. 159
- Gimeno Adelantado, J.V., see Doménech Carbó, M.T. 207
- Gooijer, C., see de Beer, T. 189
- Gorton, L., see Ruzgas, T. 123
- Grootendorst, G.J., see de Beer, T. 189
- Guiteras, J., see Ferrer, R. 199
- Guo, X.-M., see Guo, X.-W. 237
- Guo, X.-W.
— and Guo, X.-M.
Interference-free atomic spectrometric method for the determination of trace amounts of germanium by utilizing the vaporization of germanium tetrachloride 237

- Gureviciene, V., see Laurinavicius, V. 159
- Hammock, B.D., see Gascón, J. 41
- Hernández, J.A., see López-Alba, P.L. 19
- Hoornweg, G.Ph., see de Beer, T. 189
- Inoue, T.
—, Moriguchi, M. and Ogawa, T.
Determination of oxacyanine dyes and rhodamine by a second harmonic generation technique using a femtosecond laser 117
- Ivanova, A., see Brainina, Kh. 175
- Katz, S.A., see Šikovec, M. 245
- Khanina, R., see Brainina, Kh. 175
- Kolev, S.D., see Chow, C.W.K. 79
- Kurtinaitiene, B., see Laurinavicius, V. 159
- Lajunen, L.H.J., see Paama, L. 259
- Lancelot, J., see Monna, F. 107
- Laurinavicius, V.
—, Kurtinaitiene, B., Gureviciene, V., Boguslavsky, L., Geng, L. and Skotheim, T.
Amperometric glyceride biosensor 159
- Leal, M.F.C., see Vasconcelos, M.T. 273
- Lee, H.K., see Chee, K.K. 217
- López-de-Alba, P.L.
—, Wróbel-Kaczmarczyk, K., Wróbel, K., López-Martínez, L. and Hernández, J.A.
Spectrophotometric determination of Allura Red (R40) in soft drink powders using the universal calibration matrix for partial least squares multivariate method 19
- López-Martínez, L., see López-de-Alba, P.L. 19
- Lumbreras, J.M., see Aller, A.J. 89
- Luque de Castro, M.D., see Papaefstathiou, I. 265
- Marco, M.-P., see Gascón, J. 41
- Marko-Varga, G., see Gascón, J. 41
- Marko-Varga, G., see Ruzgas, T. 123
- Marques Jr., A.N., see Monna, F. 107
- Massart, D.L., see Centner, V. 1
- Mathieu, D., see Monna, F. 107
- Mittenzwey, K.-H.
— and Sinn, G.
Time-resolved spectroscopy of long-path fluorescence and scattering for measuring total absorption of fluids 183
- Monna, F.
—, Mathieu, D., Marques Jr., A.N., Lancelot, J. and Bernat, M.
A comparison of PERALS® to alpha spectrometry and beta counting: a measure of the sedimentation rate in a coastal basin 107
- Morales-Rubio, A., see Bouhsain, Z. 59
- Morf, W.E.
Theoretical treatment of the amperometric current response of multiple microelectrode arrays 139
- Moriguchi, M., see Inoue, T. 117
- Mulcahy, D.E., see Chow, C.W.K. 79
- Narayanaswamy, R., see Taib, M.N. 31
- Ni, Z.-m., see Zhang, D.-q. 53
- Ogawa, T., see Inoue, T. 117
- Önnerfjord, P., see Gascón, J. 41
- Oubiña, A., see Gascón, J. 41
- Paama, L.
—, Perämäki, P. and Lajunen, L.H.J.
Analysis of superconductor oxides $\text{YBa}_2\text{Cu}_3\text{O}_{8-x}$ by inductively coupled plasma atomic emission spectrometry and complexometric titration 259
- Pamidi, P.V.A., see Wang, J. 151
- Papaefstathiou, I.
—, Bilitewski, U. and Luque de Castro, M.D.
Pervaporation: An interface between fermentors and monitoring 265
- Parellada, J.
—, Domínguez, E. and Fernández, V.M.
Amperometric flow injection determination of fructose in honey with a carbon paste sensor based on fructose dehydrogenase 71
- Perämäki, P., see Paama, L. 259
- Periz Martínez, V., see Doménech Carbó, M.T. 207
- Przybylko, A.R.M.
—, Thomas, C.L.P. and Fielden, P.R.
Residence time model for assessing liquid-liquid extraction systems 229
- Reig, F., see Doménech Carbó, M.T. 207
- Robles, L.C., see Aller, A.J. 89
- Ruzgas, T.
—, Csöregi, E., Emnéus, J., Gorton, L. and Marko-Varga, G.
Peroxidase-modified electrodes: Fundamentals and application 123
- Schafer, H., see Brainina, Kh. 175
- Šikovec, M.
—, Franko, M., Cruz, F.G. and Katz, S.A.
Thermal lens spectrometric determination of hexavalent chromium 245
- Sinn, G., see Mittenzwey, K.-H. 183
- Skotheim, T., see Laurinavicius, V. 159
- Soares, H.M.V.M., see Vasconcelos, M.T. 273
- Taib, M.N.
—, Andres, R. and Narayanaswamy, R.
Extending the response of an optical fibre pH sensor using an artificial neural network 31
- Thomas, C.L.P., see Przybylko, A.R.M. 229
- Vasconcelos, M.T.
—, Leal, M.F.C. and Soares, H.M.V.M.
Influence of the ratio copper(II) to ligand concentrations and the nature of entering and leaving ligands on the lability of copper(II) complexes 273
- Velthorst, N.H., see de Beer, T. 189

Wang, J.

—, Pamidi, P.V.A. and Cepria, G.

Electrocatalysis and amperometric detection of aliphatic aldehydes at platinum-palladium alloy coated glassy carbon electrode 151

Wieteska, E.

—, Zióek, A. and Drzewińska, A.

Extraction as a method for preparation of vegetable samples for the determination of trace metals by atomic absorption spectrometry 251

Wong, M.K., see Chee, K.K. 217

Wróbel, K., see López-de-Alba, P.L. 19

Wróbel-Kaczmarczyk, K., see López-de-Alba, P.L. 19

Yu, P.

— and Dong, S.

The fabrication and performance of an Ag/AgCl reference electrode in human serum 167

Zhang, D.-q.

— and Ni, Z.-m.

Separation and determination of trace inorganic germanium in β -carboxyethylgermanium sesquioxide by filtration chromatography and hydride generation-graphite furnace atomic absorption spectrometry 53

Zióek, A., see Wieteska, E. 251

